

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

EGYPT.

Recrudescence of cholera in Cairo.

CAIRO, EGYPT, September 5, 1896.

SIR: I have the honor to report that cholera has reappeared in Cairo. The city had been regarded as practically free from the disease, as only about 30 deaths occurred in the month of August.

During the last five days 111 cases have proved fatal out of 125 that were officially reported. This high percentage of mortality is, however, partly accounted for by the ignorance and superstition of the natives, which leads them to conceal their sick.

The sanitary authorities have summoned all European physicians attached to that department to Cairo, and the most energetic measures, including house to house inspections, are in progress.

In the provinces the deaths continue to average about 150 daily. The number of reported cases since the disease appeared is 20,342. This is only about one-third of the number of deaths that occurred in the epidemic of 1883.

I have the honor to be, sir, your most obedient servant,
HORACE LEE WASHINGTON,
Vice and Deputy U. S. Consul-General.

Hon. Assistant Secretary of State.

GIBRALTAR.

Quarantine notice.

GIBRALTAR, September 15, 1896.

At a meeting of the board of health this day it was decided that their order of July 23 last should be modified, and that vessels arriving from Port Said shall be admitted to pratique after seven days from date of departure, provided they have health on board and do not bring passengers from Egypt for Gibraltar; otherwise they will be subject to the full period of quarantine imposed by the order above referred to.

By order.

John C. King,

Secretary to the Board of Health.

JAPAN.

Report of the prevalence of infectious disease in Japan.

YOKOHAMA, September 15, 1896.

SIR: I have the honor to inclose a report of the occurrence of infectious disease in Japan for the period September 5 to September 14, inclusive. I do not understand the omission of the deaths in the return for Tokyo, but know from nonofficial sources that the mortality from epidemic dysentery in that city is quite up to the average for other districts suffering from the same disease.

I am, sir, very respectfully, your obedient servant,

STUART ELDRIDGE, M. D., Sanitary Inspector, U. S. M. H. S.

[Inclosure.]
Report of infectious disease in Japan, from September 5 to September 14, 1896.

Locality.	Cholera.		Dysentery.		Smallpox.	
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Kjoto Fu			73	9		
Osaka Fu					1	
Tokyo Fu	5	2	208	(*)	7	
Aichi Ken			409	` 100	l	
Akita Ken			11	1		
Awomori Ken			2	Õ	2	
Chiba Ken			178	30	2	
Fukui Ken			1.0	00	-	
Fukuoka Ken		•••••	102	19	1	
Fukushima Ken	•••••		102	0	1 1	
			289		1	
Gifu Ken	•••••			58		•••••
Gumma Ken	••••••		1,396	198		
Hiogo Ken	••••••		164	98	21	1
Ishikawa Ken			156	46		
Iwate Ken	•••••••		15	3		
Kagawa Ken	· · · · · · · · · · · · · · · · · · ·		294	82		
Kagoshima Ken		. 	294	69	2	
Kanagawa Ken			219	34		
Kumamoto Ken			78	15	1	
Miyagi Ken			133	19	2	
Miyazaki Ken			46	14		
Nagano Ken	 1		10	14		
Nagasaki Ken			32	9		
	•••••		38		•••••	•••••
Nara Ken	•••••		38	- 11		•••••
Niigata Ken	•••••				•••••	
Oita Ken	•••••					
Okayama Ken	••••••		509	125		
Saga Ken			16	7		
Saitama Ken			70	108	1	
Shidzuoka Ken			251	71		
Shiga Ken			94	21		
Shimane Ken			589	135		
Tochigi Ken						
Tokushima Ken			134	19		
Tottori Ken	••••••		80	20		•••••
Toyama Ken	•••••••	•••••	40	9		
Yamaguchi Ken.	••••••		99	36		
Yamanashi Ken						
	•••••		116	17	3	
Yehime	•••••	•••••	788	209	1	
The Hokkaido		•••••	2	0	4]
Total	6	2	7,561	1,592	48	1:

* No report.

STATISTICAL REPORTS.

Australia—New South Wales—Sydney.—Month of July, 1896. Estimated population, 408,500. Total deaths, 471, including diphtheria, 12, and 10 from enteric fever.

BAHAMAS—Dunmore Town.—Two weeks ended September 25, 1896. Estimated population, 1,472. No deaths.

Governors Harbor.—Two weeks ended September 26, 1896. Estimated population, 1,500. One death reported. None from contagious diseases.

CHILI—Antofagasta.—Month of August, 1896. Estimated population, 13,456. Total deaths, 39, including 2 from phthisis pulmonalis.

France—Nice.—Month of August, 1896. Estimated population, 108,227. Total deaths, 121, including enteric fever, 2; whooping cough, 2, and phthisis pulmonalis, 17.

Rouen.—Month of August, 1896. Estimated population, 111,847.